



BETAETIGER AZM 161-B6

- For very small actuating radii

Data

Ordering data

Product type description	BETAETIGER AZM 161-B6
Article number (order number)	101144420
EAN (European Article Number)	4030661283210
eCl@ss number, Version 9.0	27-27-26-06
eCl@ss number, Version 11.0	27-27-26-06
ETIM number, version 7.0	EC001487
ETIM number, version 6.0	EC001487

General data

Material of the actuator	Stainless steel (V2A)
Gross weight	35.1 g

Mechanical data

Actuator	flexible
----------	----------

Scope of delivery

Delivery scope ofMaterial Mounting Tamperproof screws

Notes

Note (General) minimum actuating radius on rotating guard systems via the wide edge of the actuator 95 mm, adjustable "b" with a hexagonal key wrench AF 2.5 mm
minimum actuating radius on rotating guard systems via the narrow edge of the actuator 95 mm, adjustable "b" with a hexagonal key wrench AF 2.5 mm
The axis of the hinge must be 11 mm above and in a parallel plane to the top surface of the solenoid interlock.


Pictures

Product picture (catalogue individual photo)




ID: kazm1f46
| 7.3 MB | .tif | 195.4 x 130.2 mm - 1954 x 1302 px - 254 dpi
| 184.1 kB | .jpg | 352.778 x 235.303 mm - 1000 x 667 px - 72 dpi
| 16.7 kB | .png | 74.083 x 49.389 mm - 210 x 140 px - 72 dpi

Dimensional drawing miscellaneous



ID: lazm1b22
| 213.4 kB | .cdr |
| 119.1 kB | .jpg | 352.778 x 207.081 mm - 1000 x 587 px - 72 dpi

Actuating radius



ID: kazm1r04
| 19.8 kB | .cdr |

Actuating radius



ID: kazm1r06
| 19.8 kB | .cdr |

Schmersal Ltd., Sparrowhawk Close, WR14 1GL Malvern

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 22/02/2022, 07:03